

The Wellness Express™



Jump on the train to good health

Issue 3, February 2014

Children and Chiropractic Care

Presented by: Total Health Systems

TotalHealthSystems.com

Introduction

Chiropractic has been taking care of children for various conditions for more than 100 years.

A survey of chiropractors in the United States, Canada and Australia and a report by the American Chiropractic Association all found that most chiropractors treat children and that only 10% of the issues they treat in children are not musculoskeletal. In children under the age of 18, chiropractic is commonly used to treat conditions ranging from colic and bedwetting to asthma and recurrent ear infections and for illness and biomechanical injury prevention. A survey of Canadian chiropractors identified that children are treated for musculoskeletal conditions 40% of the time, preventative care was 24% of the visits, headaches 7% of visits, and ear infections 5% of the visits. Miscellaneous health issues were treated for 24% of the visits.

Illness prevention accounted for a large proportion of visits for children younger than age four years, with treatment for musculoskeletal conditions increasing with age. Spinal manipulation was, by far, the most common form of therapy provided,

followed by exercises, soft tissue treatment, and postural and nutritional counselling

What do chiropractors treat in Children?

Musculoskeletal Pain:

1. Neck, mid back and low back pain
2. Walking/crawling issues
3. Joint pain (wrist, knee, shoulder, ankle)
4. Growing Pains – occurring when a healthy, normal, young child, experiences intense pain in the middle of the night for 10 to 15 minutes in both legs (knees, thighs, calves or shins)
5. Scoliosis



Exercise of the Week


Lunge Stretch

Difficulty: Easy

(Consult your chiropractor before doing this or any other exercise.)

Start: Kneeling beside a chair, bring one foot forward so front leg is bent to 90 degrees. Use chair to help keep balance.

Exercise: Keeping spine vertically straight, push hips forward and down. Keep front knee positioned over ankle. Stop when you feel a light pull in front of hip (of leg positioned behind you). Hold for 30-60 seconds. Switch sides, and repeat 2X per side.



Presented by: 43740 Garfield Road, Clinton Township (586) 228-0270
28098 23 Mile Road, Chesterfield (586) 949-0123
57911 Van Dyke Road, Washington (586) 781-0800



Neurological Issues:

1. Headaches
2. Autism
3. Balance issues
4. Cerebral Palsy and other movement disorders
5. ADD/ADHD/Behavioral issues
6. Crying/Irritability/Sleep Issues
7. Developmental issues
8. Cognitive issues

Gastrointestinal:

1. Digestive issues
2. Constipation issues
3. Eating issues
4. Esophageal Reflux
5. Bowel issues
6. Colic – (infants with unexplained persistent crying)

Genitourinary:

1. Menstrual cramps
2. Abnormal cycles
3. Bed wetting

Immune:

1. Allergies/Asthma/Eczema/Skin Rashes
2. Food sensitivities
3. Respiratory issues

Infections:

1. Ear infections
2. Ear-nose-throat problems
3. Common cold
4. Flu

A 2008 study by Miller and Benfield looked at children 3 years old or younger to evaluate the adverse effects of chiropractic care in that age group.

Less than 1% of child patients experienced negative side effects and the adverse reactions to chiropractic were mild in nature, short lived and required no medical intervention.

The typical reaction was for the child

to cry while receiving treatment. A 2012 study looked at over 50,000 adjustments in children under the age of 18 and identified 0.2% mild side effects, 0.009% moderate side effects and zero reporting any severe side effects.

Is chiropractic safer than medicine for children?

Because the actions of medications in babies and children are not the same as those for adults, there should be (and have not been) studies on how medicines work in the young. Side effects of drugs in children in the United States have not been well researched. The studies that have been done in the United States and Europe show adverse drug reactions among hospitalized children to be 9.5%, with severe reactions in 12% of the child population studied.

Use of drugs for conditions not approved (off-label) to treat children is widespread. “Adverse drug reactions are a significant problem following unlicensed or off-label drug prescriptions,” stated one study in 1999. This practice is more common today that it was then.

If your child is having any of the issues mentioned, you might want to explore further as to what chiropractic treatment can safely offer before considering medicating your child.



Disclaimer: Information contained in The Wellness Express™ - Wellness Express News™ newsletter is for educational and general purposes only and is designed to assist you in making informed decisions about your health. Any information contained herein is not intended to substitute advice from your physician or other healthcare professional.

Quote to Inspire

“Remember that no time spent with your children is ever wasted.”

H Jackson Brown

References and Sources:

1. Marchand, Aurelie (2012) Chiropractic Care of Children From Birth to Adolescence and Classification of reported Conditions: An Internet Cross-Sectional Survey of 956 European Chiropractors, Journal of Manipulative and Physiological Therapeutics, 35 (5) 372-380
2. Miller, J. E., & Benfield, K. (2008). Adverse effects of spinal manipulative therapy in children younger than 3 years: A retrospective study in a chiropractic teaching clinic. Journal of Manipulative and Physiological Therapeutics, 31(6), 419-423.
3. Le, J., Nguyen, T., Law, A., Hodding, J. (2006) Adverse Drug reactions Among Children Over a 10-Year Period, Pediatrics, 118 (2) 555-562
4. Adverse drug reactions to unlicensed and off-label drugs on paediatric wards: a prospective study. S Turner¹, AJ Nunn¹, K Fielding², I Choonara³, Acta Paediatrica Volume 88, Issue 9, pages 965–968, September 1999



Writer: Jenny Crosby, DC
Design: Elena Zhukova
Graphics: Maria Camille Almirañez
Production: Mike Talarico